1 2 3 4 5 6	GUAM DEPARTMENT OF EDUCATIO Andrew T. Perez, Legal Counsel P.O. Box DE Hagåtña, Guam 96910 Telephone (671) 300-1537 Email: legal-admin@gdoe.net Attorney for Guam Department of Education BEFORE THE OFFICE	DATE: 4/24/3 TIME: 11:45 EIAM EIPM BY: 44 FILE NO OPA-PA: 13-003
7	PROCUREMENT APPEAL	
8	IN THE APPEAL OF	APPEAL NO. OPA-PA-13-003
9 10 11	PHIL-GETS (GUAM) INTERNATIONAL TRADING CORP. dba J&B MODERN TECH,	MOTION TO ALLOW FOR THE PURCHASE OF INDIVIDUAL AIR CONDITIONER UNITS
12	Appellant.	
13		
14	Comes now Guam Department of Education ("GDOE") and moves for an order to allow	
15	GDOE to purchase individual air conditioner units.	
16	BACKGROUND	
17	On or about April 17, 2013, several large air conditioner units at Simon Sanchez High	
18	School broke down. The staff of GDOE's Facilities & Maintenance Division inspected the units	
19 20	and determined that two 7.5 ton air conditioner units were beyond repair. As a result of these air	
21	conditioner units being down, the air temperatures in four classrooms, the library, the counselors'	
22	offices and the nurse's office range from 80°F-84°F. GDOE's Facilities & Maintenance staff	
23	recommended these two 7.5 ton units be replaced with new units. See Attached Declaration of	
24	Billy Cruz, Facilities & Maintenance Manager. The two 7.5 ton air conditioner units were slated	
25	to be replaced with units purchased under GDOE Invitation for Bid 008-2013 ("IFB") for the	
26	Indefinite Quantity Bid for Purchase of Air Conditioning Equipment ("IFB").	

28

RECEIVED

DISCUSSION

GDOE requests that the OPA grant its Motion to Allow for the Purchase of Individual Air Conditioner Units. GDOE does not ask the OPA to allow GDOE to move forward with the award of the IFB, which encompasses over 1500 units, but GDOE only asks the OPA to allow GDOE to purchase two air conditioner units to replace those that are beyond repair.

The Every Child is Entitled to an Adequate Public Education Act mandates that public schools must provide at a minimum "air conditioned or properly ventilated classrooms in which the sensible air temperature is no greater than 78°F." Public Law 28-45; 1 G.C.A § 715(12)(f).

In order for GDOE to provide an adequate public education for public school students, GDOE must keep all public school classrooms at an air temperature no greater than 78°F. Presently, GDOE is unable to procure any replacement air conditioner units due to the stay issued in the IFB. GDOE's inability to procure replacement air conditioner units will lead to GDOE classrooms' air temperature exceeding 78°F, which is in violation the Every Child is Entitled to an Adequate Public Education Act.

To prevent this from happening, GDOE requires that the OPA allow the purchase of replacement air conditioner units. Presently there are two 7.5 ton air conditioner units at Simon Sanchez High School that need to be replaced immediately. Together these air conditioner units service four classrooms, the library, the counselors' offices and the nurse's office. Without these air conditioner units functioning the air temperature of these classrooms and offices range from 80°F-84°F.

If the OPA does not allow GDOE to replace the two 7.5 ton units at Simon Sanchez High School, GDOE will be placed in the position of being non-compliant with the Every Child is Entitled to an Adequate Public Education Act. Therefore, GDOE respectfully asks the OPA to grant GDOE's Motion to Allow for the Purchase of Individual Air Conditioner Units, and allow

GDOE to use applicable competitive procurement procedures to purchase these air conditioner units in order to comply with the mandate of the Every Child is Entitled to an Adequate Public Education Act.

CONCLUSION

For the foregoing reasons, GDOE respectfully requests that the Office of Public Accountability to grant GDOE's Motion to Allow for the Purchase of Individual Air Conditioner Units.

Dated this 29th day of April, 2013.

Respectfully submitted,

GUAM DEPARTMENT OF EDUCATION

By:

ANDREW T. PEREZ, ESQ.

Legal Counsel