


Suite 401 DNA Building
238 Archbishop Flores St.
Hagåtña, Guam 96910



FAX

To:	Mary A.Y. Okada, Ed.D President Guam Community College P.O. Box 23069 GMF, Guam 96921	From:	Doris Flores Brooks Guam Public Auditor Office of Public Accountability
Phone: Fax:	(671) 735-5542 / 5540 (671) 734-5238	Pages:	1 (including cover page)
CC:	Ms. Rebecca J. Wrightson, Esq. Cabot Mantanona LLP (Attorney for GCC)	Date:	April 26, 2017
Phone: Fax:	(671) 646-2001 (671) 646-0777	Phone: Fax:	(671) 475-0390 x. 208 (671) 472-7951
CC:	Seth Forman Dooley Roberts Fowler & Visosky LLP (Attorney for Appellant J & B Modern Tech)		
Phone: Fax:	(671) 646-1222 (671) 646-1223		

Re: OPA-PA-17-003 Reminder Notice of Motion Hearing

Urgent For Review Please Comment Please Reply Please Recycle

Comments:

A Motion Hearing in the matter of OPA-PA-17-003, J & B Modern Tech. vs. Guam Community College regarding the procurement for construction of a Generator Building and Installation of a Back-up Generator System to Service GCC Allied Health Center and Building A will be held at **11:00 AM, on Monday, May 1, 2017**, in the OPA Procurement Appeals Hearing Room, 9th Floor (Suite 907), DNA Building, 238 Archbishop Flores Street, Hagatna, Guam 96910.

Please acknowledge receipt of this transmittal by re-sending this cover page along with your firm or agency's receipt stamp, date, and initials of receiver.

Thank you,
Jerrick Hernandez
Auditor
jhernandez@guamopa.com

This facsimile transmission and accompanying documents may contain confidential or privileged information. If you are not the intended recipient of this fax transmission, please call our office and notify us immediately. Do not distribute or disclose the contents to anyone. Thank you.

Broadcast Report

Date/Time: 04-26-2017 09:35:53 a.m. Transmit Header Text
 Local Name: 6714727951 Local Name 1 OFFICE OF THE PUBLIC AUDITOR

**This document : Confirmed
 (reduced sample and details below)
 Document size : 8.5"x11"**

Suite 401 DNA Building
 238 Archbishop Flores St.
 Hagåtña, Guam 96910



FAX

To:	Mary A.Y. Okada, Ed.D President Guam Community College P.O. Box 23069 GMF, Guam 96921	From:	Doris Flores Brooks Guam Public Auditor Office of Public Accountability
Phone:	(671) 735-5542 / 5540	Pages:	1 (including cover page)
Fax:	(671) 734-5238		
CC:	Ms. Rebecca J. Wrightson, Esq. Cabot Mantanona LLP (Attorney for GCC)	Date:	April 26, 2017
Phone:	(671) 646-2001	Phone:	(671) 475-0390 x. 208
Fax:	(671) 646-0777	Fax:	(671) 472-7951
CC:	Seth Forman Dooley Roberts Fowler & Visosky LLP (Attorney for Appellant J & B Modern Tech)		
Phone:	(671) 646-1222		
Fax:	(671) 646-1223		

Re: OPA-PA-17-003 Reminder Notice of Motion Hearing

Urgent For Review Please Comment Please Reply Please Recycle

Comments:

A Motion Hearing in the matter of OPA-PA-17-003, J & B Modern Tech. vs. Guam Community College regarding the procurement for construction of a Generator Building and Installation of a Back-up Generator System to Service GCC Allied Health Center and Building A will be held at **11:00 AM, on Monday, May 1, 2017**, in the OPA Procurement Appeals Hearing Room, 9th Floor (Suite 907), DNA Building, 238 Archbishop Flores Street, Hagatna, Guam 96910.

Please acknowledge receipt of this transmittal by re-sending this cover page along with your firm or agency's receipt stamp, date, and initials of receiver.

Thank you,
 Jerrick Hernandez
 Auditor
jhernandez@guamopa.com

This facsimile transmission and accompanying documents may contain confidential or privileged information. If you are not the intended recipient of this fax transmission, please call our office and notify us immediately. Do not distribute or disclose the contents to anyone. Thank you.

Total Pages Scanned : 1

Total Pages Confirmed : 3

No	Job	Remote Station	Start Time	Duration	Pages	Line	Mode	Job Type	Results
001	436	6717345238	09:32:48 a.m. 04-26-2017	00:00:37	1/1	1	EC	HS	CP21600
002	436	6460777	09:32:48 a.m. 04-26-2017	00:00:22	1/1	1	EC	HS	CP21600
003	436	6716461223	09:32:48 a.m. 04-26-2017	00:00:14	1/1	1	EC	HS	CP26400